Updated Risk Assessment to minimise the risk of being exposed to Covid-19

The process involved consultation with all school staff.



Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in Redeemer Boys' N.S. to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for Redeemer Boys' N.S. in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A **risk** is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate	Injury and damage to property	3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

Probability/Likelihood

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2
Rare	Unlikely to occur at all	1

Risk Rating

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying special
	If an incident were to occur, it would be likely	maintenance. Activity should be halted and stopped until the hazard is
	that a permanent, debilitating injury or death	eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce the
	If an incident were to occur, it would be likely	risk. Risk reduction measures should be implemented urgently within a
	that an injury requiring medical treatment would	defined time period and it might be necessary to consider suspending or
	result.	restricting the activity or to apply interim control measures until this has been
		completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether the risks
	If an incident were to occur, there would be	can be lowered. Control measures must be monitored and reviewed as
	some chance that an injury requiring First Aid	required to ensure they remain suitable and sufficient.
	treatment would result	
1-5	Trivial or Negligible	No additional controls are necessary as these risks are considered acceptable.
	If an incident were to occur, there would be little	Activity should be regularly reviewed to ensure there is no change to the risk
	likelihood that an injury would result	rating and that controls are maintained.

^{*}Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Who may be affected?	Identified Risks	Risk Communication, Education and Training Controls	Risk Rating with controls	Action implementation
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Management will develop a response plan for the prevention and mitigation of Covid-19 following a risk assessment of the school facility. This plan will highlight the measures necessary to protect the health and safety of staff in re-opening and modifying the work arrangements within the school. The staff representative(s) will be properly consulted when developing and implementing the action plan for the prevention and mitigation of Covid-19 within the school and all staff will be informed about the measures being introduced, using specific risk communication and staff engagement approaches. The Board of Management will: ✓ Ensure that all staff receive necessary training prior to returning to work ✓ Provide posters, information and electronic message boards to increase awareness of Covid-19 among staff and pupils ✓ Promote safe individual practices within the school campus ✓ Engage with staff in providing feedback on the preventive measures and their effectiveness ✓ Provide regular information about the risk of Covid-19 using official sources, such as government agencies (HSE, HSA, etc.) and the World Health Organisation ✓ Emphasise the effectiveness of adopting protective measures especially good personal hygiene ✓ Provide specific training in the proper use of PPE for staff, where required	Negligible	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of evolution (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol

Assessment Date:	August, 2020	Assessor's Name:		
Who may be affected?	Identified Risks	Hygiene Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	cough, not just a dry cough	 ✓ Wash their hands properly and often. Hands should be washed: ○ After coughing or sneezing ○ Before and after eating or preparing food ○ Before and after using protective gloves 	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculati (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a)	/injury 1=trivial, 2=slight, 3=mode vent 1=rare, 2=unlikely, 3=likely	Risk Level Action 1-5 Trivial risk Acceptable 4-4-very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further 16-25 Emergency risk Halt activity and review im		ntrol
Assessment Date:	August, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Hygiene Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Appropriate social distancing markings are in place ✓ Necessary PPE is available to staff ✓ Standard cleaning and maintenance regimes are put in place and detailed records retained ✓ Toilet facilities are cleaned regularly ✓ All drinking water facilities will be shut down ✓ Equipment sharing is minimised. Staff are encouraged not to share equipment ✓ There is regular cleaning of frequently touched surfaces and that staff are provided with essential cleaning materials to keep their own work areas clean (for example wipes/disinfection products, paper towels and waste bins/bags) ✓ All school equipment is sanitised – cleaning programmes to be devised to ensure that shared equipment is cleaned and disinfected between use by different people ✓ Covid compliant work areas to be available where social distancing guidelines can be applied ✓ There is staggered use of canteen/kitchen or other communal facilities ✓ Bins are provided for disposal of waste materials (tissues, paper towels, wipes, etc.) and that adequate waste collection arrangements to be put in place to ensure they do not overflow ✓ All waste collection points are emptied regularly throughout and at the end of each day. 	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of ever (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=moderate, 4 ent 1=rare, 2=unlikely, 3=likely, 4=ve			
Assessment Date:	August, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Social Distancing Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	school, use of welfare facilities and while working in the school physical spacing (2 metres apart currently) for work stations and common spaces, such as entrances/exits, lifts, kithchen areas, canteens, stairs, where congregation or queuing of staff, or students of visitors might occur Break times will be staggered and school supervision procedures must be strictly adhered to Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds) Appropriate social distancing arangements will be in place throughout the facility Meetings of staff will take place online and by using teleconferencing facilities There is currently a strict no handshaking policy in place within the school All staff, contractors and visitors should avoid direct physical contact with any other persons as far as possible Where 2 metre distance cannot be maintained staff must wear a suitable face covering	Requires monitoring Serious	Board of Management Principal Staff Visitors
Risk Level Calculation (a) Severity of risk/inju (b) Likelihood of event (c) Risk Rating = (a) X (t 1=rare, 2=unlikely, 3=likely, 4=			
Assessment Date: A	ugust, 2020	Assessor's Name:		

Identified Risks	Cleaning		Action implementation
ead of Covid-19 virus cons currently deemed t at risk of complications if a catch the coronavirus are: O years of age and over have long-term medical ditions — i.e. heart disease, disease, high blood sure, diabetes or cancer regnant women we effects of the enavirus: fever (high temperature of degrees Celsius or above) cough - this can be any kind ough, not just a dry cough shortness of breath or enthing difficulties as of sense of smell coss of sense of taste ath	items handled at work or during breaks. Staff advised to clean personal items that they have bring to work (e.g. mobile phones) and to avoid leaving them down on communal surfaces or they will need to clean the surface after the personal item is removed ✓ Cleaning staff will be trained in the new cleaning arrangements for the school ✓ Sufficient cleaning materials and PPE will be available to allow for increased cleaning ✓ Cleaning staff will be instructed to wear gloves when cleaning and are aware of the need to wash their hands thoroughly with soap and water, both before and after wearing gloves ✓ System in place for the disposable of cleaning cloths and used wipes in a rubbish bag Current HSE guidance recommends waste such as cleaning waste, tissues etc. from a person suspected of having Covid-19 should be double bagged and stored in a secure area for 72 hours before being presented for general waste collection ✓ System in place to make sure reusable cleaning equipment including mop heads and non-disposable cloths are clean before re-use ✓ System in place to ensure that equipment such as buckets are emptied and cleaned with	Requires monitoring	Board of Management Principal Staff
1=rare, 2=unlikely, 3=lik	ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in		ntrol
ort	ion of sense of taste 1 1=trivial, 2=slight, 3=mo	Risk Level Action 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further 16-25 Emergency risk Halt activity and review in	Risk Level Action 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and co 16-25 Emergency risk Halt activity and review immediately

Who may be affected?	Identified Risks	Office and ad	ministration areas	Risk Rating	Action implementation
arrecteu:	identified Maks	Co	ontrols	with controls	Action implementation
	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	designated workstations and staff • The number of employees permitted to limited as a necessary control measure	e the maintenance of physical distancing between to work in an office at any particular time shall be to protect health and safety.	Requires	Board of Management Principal Administration staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable			Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Use of PPE	Risk Rating with controls	Action implementation
		Controls	With Controls	
Staff	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above)	The correct use of Personal Protective Equipment (PPE) such as face shields/visors or clear plastic barriers or Perspex screens etc. may be required in some circumstances to address identified risks of spread of the virus. Where PPE is required by staff, they will be notified accordingly and be provided with the necessary PPE and provided with training and information in the proper use, cleaning, storage and disposal of PPE. PPE needs to be consistently and properly worn when required. In addition, it must be regularly inspected, cleaned, maintained and replaced as necessary. PPE (excluding masks) will not be required to be worn within the school facility according to current occupational and public health guidance. Face masks are required to be worn by staff if a distance of 2 metres cannot be maintained. Current general guidance from the HSE in relation to the wearing of face coverings, masks and gloves is available at the following Link: https://www2.hse.ie/conditions/coronavirus/face-masks-disposable-gloves.html Face visors will be provided to all staff and disposable face masks are available for use. Gloves are not required generally within the workplace for infection prevention and control purposes according to current guidance. Due to the risks associated with the usage of gloves, the Board of Management will not be providing gloves to staff for general use. *Face coverings are not recommended to be worn by children under 13 years.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name:		

Who may be affected?	Identified Risks		r resources during Covid-19	Risk Rating with controls	Action implementation
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	rental scheme) and other resource methese will be available to pupils for following guidelines are recommended compiling resource packs: • Maintain physical distancing (• Observe good hygiene (hand we touch your eyes, nose, mouth after handling books and other touch after handling books and other follow the agreed school processing. • Any books or other items (we returned to the school standard to the schoo	vashing and respiratory etiquette, do not a with unwashed hands, etc.) before and ir materials returned to the school tocols if you are displaying symptoms of resource packs, computers, etc.) being hould be quarantined for 72 hours. These items in sealed boxes that are the of the start of the 72-hour quarantine e stored in a separate location away from chool 2-hour quarantine period the items may bared for the next school year	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) X	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020		Assessor's Name:		

Who may be affected? Identified Risks	Using hand tools or equipment	Risk Rating	Action implementation
unceteu. Identified hisks	Controls	with controls	Action implementation
All staff Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medica conditions – i.e. heart disease lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Staff must wear the appropriate PPE for the nature of the work that they are undertaking ✓ All tools and equipment must be properly sanitised to prevent cross contamination ✓ Arrangements should be put in place for one individual to use the same tool, equipment and machinery as far as is reasonably practicable ✓ Cleaning material will be available so that all tools can be wiped down with disinfectant between each use ✓ All mobile machinery (including lawnmowers) must be thoroughly cleaned and santisied prior to use 	Requires monitoring	Board of Management Principal Staff
	Risk Level Action oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date: August, 2020	Assessor's Name:		

Who may be	Who may be Dealing with a suspected case of Covid-19 affected? Identified Risks		Risk Rating	Action implementation
anecteur	identified Risks	Controls	with controls	Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	area and the route to the designated area should be easily accessible and as far as is reasonable and practicable, should be accessible by people with disabilities. The possibility of having more than one person displaying signs of Covid-19 needs to be considered so having additional isolation areas available or another contingency plan for dealing with additional cases must be planned. It would be important that the designated area has the ability to isolate the person behind a closed door and away from other workers If a person displays symptoms of Covid-19 the following procedure is to be implemented: ✓ Isolate the person and have a procedure in place to accompany the individual to the designated isolation area via the isolation route, keeping at least 2 metres away from the symptomatic person and also making sure that others maintain a distance of at least 2 metres from the symptomatic person at all times. ✓ Provide a mask for the person presenting with symptoms if one is available. He/she should wear the mask if in a common area with other people or while exiting the premises. ✓ Assess whether the individual who is displaying symptoms can immediately be directed to go home and call their doctor and continue self-isolation at home.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of evec (c) Risk Rating = (a)	mjury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Dealing with a suspected case of Covid-19 (continued) Controls	Risk Rating with controls	Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ If the person is well enough to go home, arrange for them to be transported home by a family member, as soon as possible and advise them to inform their general practitioner by phone of their symptoms. Public transport of any kind should not be used ✓ If they are too unwell to go home or advice is required, contact 999 or 112 and inform them that the sick person is a Covid-19 suspect. ✓ Carry out an assessment of the incident which will form part of determining follow-up actions and recovery. ✓ Arrange for appropriate cleaning of the isolation area and work areas involved. 		Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Covid-19 cleaning	Risk Rating	Action implementation
anecteu:	identified Risks	Controls	with controls	Action implementation
Staff Pupils Visitors Risk Level Calculatio (a) Severity of risk/i (b) Likelihood of every	njury 1=trivial, 2=slight, 3=mc ent 1=rare, 2=unlikely, 3=like	All cleaning will be undertaken in line with DES and public health guidance. ✓ It is recommended cleaning an area with normal household disinfectant after a suspected coronavirus (Covid-19) case. This wil reduce the risk of passing the infection on to other people ✓ The area should be kept closed and secure for 72 hours (if possible) for cleaning as the amount of virus living on surfaces will have reduced significantly by 72 hours ✓ For cleaning purposes, wear a face mask, disposable or washing up gloves. These should be double-bagged, then stored securely for 72 hours and then put with the regular rubbish after cleaning is finished should be double-bagged, ✓ Using a disposable cloth, first clean hard surfaces with warm soapy water. Then disinfect these surfaces with the cleaning products you normally use. Pay particular attention to frequently touched areas and surfaces, such as toilets, banisters on stairwells and door handles ✓ If an area has been heavily contaminated, such as with visible bodily fluids, from a person with coronavirus (Covid-19) consider using protection for the eyes, mouth and nose, as well as wearing gloves and apron ✓ Wash hands regularly with soap and water for 20 seconds and after removing gloves, aprons and other protection used while cleaning ✓ Public areas where a symptomatic individual has passed through and spent minimal time, such as corridors, but which are not visibly contaminated with body fluids can be cleaned as normal ✓ All surfaces that the symptomatic person has come into contact with must be cleaned and disinfected, including objects which are visibly contaminated with body fluids Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring	Serious Requires monitoring	Board of Management Principal Cleaning staff
(c) Risk Rating = (a)	^ (b)	11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		1001
Assessment Date:	August, 2020	<u>Assessor's Name</u> :		

Who may be affected?	Identified Risks		cted/confirmed case of Covid-19	Risk Rating with controls	Action implementation
Staff Pupils Visitors	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	floors, chairs, door handles and sanitary fitting disinfectant in line with the manufacturer's in Disinfectants used should be effective against Additionally: Avoid creating splashes and spray when cleaning Any cloths and mop heads used must be disposed below. When items cannot be cleaned using determattresses for example) steam cleaning should Any items that have been heavily contaminate washing should be disposed of	osable mob heads to clean all hard surface gs, using an approved and recognised detergent a structions for dilution, aplication and contact time viruses. Ing. Ing. Ingents or laundered (upholstered furniture lid be used lid be determined the cleaned lid be determined the lid be cleaned lid be used lid be	Serious Requires	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of ever (c) Risk Rating = (a) Assessment Date:	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in Assessor's Name:		ntrol

Who may be affected?	Identified Risks	Covid-19	uspected/confirmed case of (continued)	Risk Rating with controls	Action implementation
Staff Pupils Visitors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	water setting and dry items complet an unwell person can be washed wi laundry as this minimises the possible ✓ Clean and disinfect anything used for in line with the cleaning guidance of the waste Management ✓ Waste should be put in a plastic rube ✓ The plastic bag should then be place ✓ It should be put in a suitable and see individual's test results are known ✓ All waste should be stored safely an waste in communal waste areas unit has been stored for at least 72 hour ✓ If the individual tests negative, the waste	bish bag and tied when full ed in a second bin bag and tied cure place and marked for storage until the d kept away from children. You should not put cil negative test results are known or the waste	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Travel to and from work	Risk Rating with controls Action implement	Action implementation
ancetea.	identified Risks	Controls		Action implementation
Staff	 they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, 	Where a staff member exhibits any signs of Covid-19 or has been exposed to a confirmed case they should not travel to work. Wherever possible, staff should travel to work alone using their own means of transport — staff should not share transport to or from work. If availing of public transport, sit down to minimise contact with frequently touched surfaces, handles, roofstraps, isolation bars, etc. Wear a face mask and carry hand santiser (at least 60% alcohol) and use it regularly throughout your journey.	Requires monitoring	All staff
	coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death			
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of ev (c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Dropping off and picking up of pupils	Risk Rating	Action implementation
arrected:	identified Maks	Controls	with controls	Action implementation
Bus and taxi drivers Wider Community	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	Where pupils travel by public transport the Board of Management will provide a designated drop off/awaiting area (where possible) that supports social distancing measures. It expected that there will be pre-agreed staggered arrival times for school buses. Parents/guardians will be encouraged to wait in the car outside of the school Where SEN pupils are dropped off and picked up by a private bus/taxi, the accompanying adult should remain in the car/bus with the pupil. A designated staff member will come to the car/bus to receive the pupil and will avoid or limit physical contact with the accompanying adult. Subject to available space there is no strict requirement for taxis/buses to arrive one at a time provided that those accompanying the pupil remain in the taxi/bus and do not interact with those accompanying other pupils. A similar process should be followed for pick up.	Requires monitoring	Board of Management Principal Staff Bus and taxi drivers
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	nt 1=trivial, 2=slight, 3=mont 1=rare, 2=unlikely, 3=lik	Risk Level Action oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Visitors to school Controls	Risk Rating with controls	Action implementation
Staff Pupils Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	Visits to the school will be severely restricted and visitors will be asked to: ✓ Make a prior appointment before visiting the school ✓ Remain at home if they have any Covid-19 symptoms ✓ Follow the agreed Covid-19 protocols for the school ✓ Sanitise before entering the premises ✓ Attendance to be recorded on entry to building ✓ Wear PPE if instructed ✓ Adhere to social distancing requirements ✓ Not to loiter − complete their business and leave premises	Requires monitoring	Board of Management Principal
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 1-7 Medium risk Requires monitoring 1-15 Severe risk Requires immediate furt 1-15 Severe risk Requires immediate furt		ntrol
Assessment Date:	August, 2020	Assessor's Name:		

Who may be affected?	Identified Risks		ries and supplies to school	Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 Ensure that all delivery transactions of Agree a delivery protocol with supplier All deliveries to be planned with allocations are Arrangements to be made for paperless. System to be agreed with suppliers to 	ited times for collections and deliveries ss deliveries	Requires monitoring	Board of Management Principal Staff Delivery personnel
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in Assessor's Name:		ntrol

Declaration of Sight

I have read and understand the contents of this document. Signed: __ Dated: Signed: ______ Dated: _____ Signed: ______ Dated_____ Signed: Dated: Signed: ______ Dated: _____ Signed: ______ Dated: _____ Signed: Dated: Signed: ______ Dated: _____ Signed: Dated: Signed: ______ Dated: _____ Signed: ______ Dated: _____ Signed: _____ Dated:_____ Signed: _____ Dated:____ Signed:______ Dated:_____ Signed:______ Dated:_____

Signed:	Dated
Signed:	Dated:
Signed:	Dated:
Signed:	Dated
Signed:	Dated:
Signed	Dated:

Signed:	Dated	
Signed:	Dated:	